CERTIFICATE OF ANALYSIS

PuriLab Analytical

KLOW 80 mg

KL-2026-007 Lot PITTER KLOW 80MG Analyzed November 3, 2026



TIMELINE

ORDERED
October 29, 2026

RECEIVED
November 2, 2026

ANALYZED
November 3, 2026

SAMPLE

NAME
KLOW 80 mg

EXPECTED
KLOW blend (GHK-Cu, BPC-157, TB-500, KPV)

AMOUNT
1 vial, lyophilized powder

TESTING

CLIENT
Pink Bow Community

TEST TYPE
Content & purity

METHOD
HPLC-UV

CONTENT, HOW MUCH IS IN IT

GHK-Cu	**62.5** mg Label claim: 50 mg
BPC-157	**12.68** mg Label claim: 10 mg
TB-500	**Detected,** fragment form (not quantified) Label claim: 10 mg
KPV	**11.97** mg Label claim: 10 mg


PURITY, HOW CLEAN IT IS

GHK-Cu	99.9%
BPC-157	99.8%
TB-500	Not quantified
KPV	99.9%

by HPLC-UV peak area


CHROMATOGRAMS

BPC-157 / TB-500 — HPLC-UV



● 11.46 min, BPC-157, 99.8%

GHK-CU / KPV — HPLC-UV



● 2.57 min, GHK-Cu, 99.9% ● 3.66 min, KPV, 99.9%

ANALYST COMMENTS

Blue lyophilized powder, black-cap vial, received sealed. GHK-Cu and KPV were measured on a second HPLC-UV method; both chromatograms are shown. TB-500 was detected in fragment form (Ac-LKKTETQ, the short 7 amino acid piece of thymosin beta-4 often sold as TB-500), not as full-length TB4. It is reported as detected but not quantified: the amount is small and a fragment reference standard is being added, after which the mg can be reported. Updated November 10, 2026.

ANALYST SIGNATURE

Max Barrett
Lab Director, PuriLab Analytical
Analysis date: November 3, 2026

VERIFICATION CODE
KL-9I1L-E00I
Verify at purilab.org/verify/KL-9I1L-E00I

SCAN TO VERIFY

KL-9I1L-E00I

Results apply solely to the sample as received and are not representative of any larger lot, batch, or production run. Findings are limited to the analytes stated above. PuriLab Analytical is an independent testing laboratory, is not CLIA certified or ISO 17025 accredited, does not sell or distribute any substance, and makes no representation as to the safety, legality, or fitness of any material for any use.