CERTIFICATE OF ANALYSIS

PuriLab Analytical

RT20+ELO5 25 mg

RE-2026-001 Lot NOT PROVIDED Analyzed November 20, 2026



TIMELINE

ORDERED
November 9, 2026

RECEIVED
November 13, 2026

ANALYZED
November 20, 2026

SAMPLE

NAME
RT20+ELO5 25 mg

EXPECTED
RT20+ELO5 (Retatrutide, Eloralintide)

AMOUNT
1 vial, lyophilized powder

TESTING

CLIENT
3A Labz

TEST TYPE
Content & purity

METHOD
HPLC-UV

CONTENT, HOW MUCH IS IN IT

Retatrutide	**21.21** mg	Label claim: 20 mg
Eloralintide	**6.20** mg	Label claim: 5 mg


PURITY, HOW CLEAN IT IS

97.1%

by HPLC-UV peak area, system peaks excluded

CHROMATOGRAM

HPLC-UV



● 12.91 min, Eloralintide ● 13.65 min, Retatrutide

ANALYST COMMENTS

White lyophilized powder, purple-cap vial, received sealed.

ANALYST SIGNATURE

Max Barrett
Lab Director, PuriLab Analytical
Analysis date: November 20, 2026

VERIFICATION CODE

RE-8Y26-35C6
Verify at purilab.org/verify/RE-8Y26-35C6

SCAN TO VERIFY

RE-8Y26-35C6

Results apply solely to the sample as received and are not representative of any larger lot, batch, or production run. Findings are limited to the analytes stated above. PuriLab Analytical is an independent testing laboratory, is not CLIA certified or ISO 17025 accredited, does not sell or distribute any substance, and makes no representation as to the safety, legality, or fitness of any material for any use.