CERTIFICATE OF ANALYSIS

PuriLab Analytical

Retatrutide 30 mg

RT-2026-048 Lot LP1023 Analyzed October 29, 2026

TIMELINE

ORDERED
October 25, 2026

RECEIVED
October 28, 2026

ANALYZED
October 29, 2026

SAMPLE

NAME
Retatrutide 30 mg

EXPECTED
Retatrutide

AMOUNT
1 vial, lyophilized powder

TESTING

CLIENT
Seacoast Aminos

TEST TYPE
Content & purity

METHOD
HPLC-UV

CONTENT, HOW MUCH IS IN IT

31.20 mg

Label claim: 30 mg

PURITY, HOW CLEAN IT IS

99.8%

by HPLC-UV peak area

CHROMATOGRAM

HPLC-UV



- 18.07 min, Retatrutide, 99.8%

ANALYST COMMENTS

White lyophilized powder, brown-cap vial, received sealed.

ANALYST SIGNATURE

Max Barrett
Lab Director, PuriLab Analytical
Analysis date: October 29, 2026

VERIFICATION CODE

RT-OFQG-89FR

Verify at purilab.org/verify/RT-OFQG-89FR

SCAN TO VERIFY

RT-OFQG-89FR

Results apply solely to the sample as received and are not representative of any larger lot, batch, or production run. Findings are limited to the analytes stated above. PuriLab Analytical is an independent testing laboratory, is not CLIA certified or ISO 17025 accredited, does not sell or distribute any substance, and makes no representation as to the safety, legality, or fitness of any material for any use.