CERTIFICATE OF ANALYSIS

PuriLab Analytical

2S50 50 mg

SS-2026-014 Lot 2S50-1126-A01 Analyzed November 17, 2026



TIMELINE

ORDERED
November 10, 2026

RECEIVED
November 16, 2026

ANALYZED
November 17, 2026

SAMPLE

NAME
2S50 50 mg

EXPECTED
2S50

AMOUNT
1 vial, lyophilized powder

TESTING

CLIENT
Group Test A

TEST TYPE
Content & purity

METHOD
HPLC-UV

CONTENT, HOW MUCH IS IN IT

59.34 mg

Label claim: 50 mg


PURITY, HOW CLEAN IT IS

99.7%

by HPLC-UV peak area, system peaks excluded

CHROMATOGRAM

HPLC-UV



● 5.38 min, 2S50, 99.7%

ANALYST COMMENTS

White lyophilized powder, purple-cap vial, received sealed.

ANALYST SIGNATURE

Max Barrett
Lab Director, PuriLab Analytical
Analysis date: November 17, 2026

VERIFICATION CODE

SS-1NST-W17P

Verify at purilab.org/verify/SS-1NST-W17P

SCAN TO VERIFY

SS-1NST-W17P

Results apply solely to the sample as received and are not representative of any larger lot, batch, or production run. Findings are limited to the analytes stated above. PuriLab Analytical is an independent testing laboratory, is not CLIA certified or ISO 17025 accredited, does not sell or distribute any substance, and makes no representation as to the safety, legality, or fitness of any material for any use.