CERTIFICATE OF ANALYSIS

PuriLab Analytical

Tesamorelin 20 mg

TS-2026-016 Lot NOT PROVIDED Analyzed November 7, 2026

TIMELINE

ORDERED
November 4, 2026

RECEIVED
November 6, 2026

ANALYZED
November 7, 2026

SAMPLE

NAME
Tesamorelin 20 mg

EXPECTED
Tesamorelin

AMOUNT
1 vial, lyophilized powder

TESTING

CLIENT
Anthony

TEST TYPE
Content & purity

METHOD
HPLC-UV

CONTENT, HOW MUCH IS IN IT

Not detected

Label claim: 20 mg


IDENTITY, WHAT IT IS

Not detected

No tesamorelin detected

CHROMATOGRAM

HPLC-UV



● 14.17 min, Unidentified component --- Tesamorelin reference, same method

ANALYST COMMENTS

Lyophilized powder, black-cap vial, received sealed. Tesamorelin was not found in the sample (detection limit about 0.1 mg per vial). The dashed trace is a tesamorelin reference run on the same method, marking where tesamorelin elutes. The only sample peak past the void is a small unidentified UV-absorbing component.

ANALYST SIGNATURE

Max Barrett
Lab Director, PuriLab Analytical
Analysis date: November 7, 2026

VERIFICATION CODE

TS-P6MR-K8QL

Verify at purilab.org/verify/TS-P6MR-K8QL

SCAN TO VERIFY

TS-P6MR-K8QL

Results apply solely to the sample as received and are not representative of any larger lot, batch, or production run. Findings are limited to the analytes stated above. PuriLab Analytical is an independent testing laboratory, is not CLIA certified or ISO 17025 accredited, does not sell or distribute any substance, and makes no representation as to the safety, legality, or fitness of any material for any use.