CERTIFICATE OF ANALYSIS

PuriLab Analytical

TSM20 20 mg

TS-2026-023 Lot NOT PROVIDED Analyzed November 14, 2026



TIMELINE

ORDERED
November 9, 2026

RECEIVED
November 11, 2026

ANALYZED
November 14, 2026

SAMPLE

NAME
TSM20 20 mg

EXPECTED
TSM20

AMOUNT
1 vial, lyophilized powder

TESTING

CLIENT
4Ever Research

TEST TYPE
Content & purity

METHOD
HPLC-UV

CONTENT, HOW MUCH IS IN IT

17.63 mg

Label claim: 20 mg


PURITY, HOW CLEAN IT IS

93.6%

by HPLC-UV peak area, system peaks excluded

CHROMATOGRAM

HPLC-UV



- 13.38 min, TSM20, 93.6%

ANALYST COMMENTS

White lyophilized powder, gray-cap vial, received sealed.

ANALYST SIGNATURE

Max Barrett
Lab Director, PuriLab Analytical
Analysis date: November 14, 2026

VERIFICATION CODE

TS-DVTQ-V69X

Verify at purilab.org/verify/TS-DVTQ-V69X

SCAN TO VERIFY

TS-DVTQ-V69X

Results apply solely to the sample as received and are not representative of any larger lot, batch, or production run. Findings are limited to the analytes stated above. PuriLab Analytical is an independent testing laboratory, is not CLIA certified or ISO 17025 accredited, does not sell or distribute any substance, and makes no representation as to the safety, legality, or fitness of any material for any use.